

The **MNG** series is Mini type hose clamps are made from 9mm Bandwidth Galvanised Steel, they are very useful and provide great clamping force. Widely used for connecting air hoses, water pipes, fuel hoses, silicone hoses on automobiles or factory, etc.

Mini type hose clamps attach hoses to fittings to prevent flow leakage. They come in a variety of designs and distribute uniform pressure over the circumference of hoses to bind them to fittings. Hose clamps are suitable for a large number of industries, and commonly used in industrial, electronic, and automotive applications.

Product Description

- 1: This is a set of hose clamps used to attach and seal a hose onto a fitting such as a barb or pipe nipple.
- 2: These tape and screw of clamp are made from high quality 304 stainless steel for durability and long service life.
- 3: Screw hose clamps are convenient to install or remove by using a screwdriver to release or tighten.
- 4: These well designed screw clamps are very useful and provide great clamping force.
- 5: Widely used for connecting air hoses, water pipes, fuel hoses, silicone hoses on automobiles or factory, etc.
- 6 : Hose clamps attach hoses to fittings to prevent flow leakage. They come in a variety of designs and distribute uniform pressure over the circumference of hoses to bind them to fittings. Hose clamps are suitable for a large number of industries, and commonly used in industrial, electronic, and automotive applications.

Application

- Used in confined spaces
- Fixed nut for ease of tightening
- Rolled edge to prevent hose damage
- 6mm hexagonal head with screwdriver slot, 9mm bandwidth

Phoenix



MNG MINI Hose Clamps

Item Code	Min	Max	Thickness	Screw	Std Pack	Price
	mm	mm	mm		nos	Per Nos
MNG9	7	9	0.6	M4*12	200	12.50
MNG10	8	10	0.6	M4*12	200	12.50
MNG11	9	11	0.6	M4*12	200	13.50
MNG12	10	12	0.6	M4*12	200	13.50

PHOENIX KNOB CLIP made from stainless steel 316 for soft tubes. It has sturdy construction. Require minimal maintenance,

Special made for medical instruments and Pharma application.

While Ordering :

Measure outside dimension of the hose and add 2 to 3 mm clearance. Match the above sum with the size(max) column, that is the correct size for ordering.

KC Knob Clip

Item Code	Min	Max	Std Pack	Price
	mm	mm	nos	Per Nos
KC 17	12	17	10	320.00
KC 21	16	21	10	320.00
KC 25	20	25	10	320.00
KC 29	24	29	10	350.00
KC 33	28	33	10	350.00
KC 37	32	37	10	350.00
KC 41	36	41	10	350.00
KC 45	40	45	10	350.00

KNOB Clip



Grade : SS 316



P-clamps lock cables and hoses in place and help ensure that machinery, vehicles and equipment keep running. They bracket wires, cables or hoses together mechanically and are fastened securely to an anchor point – usually with a screw or a bolt.

The inherent design limitations of the traditional p-clamp include the following:

- The clamp is not securely closed until the fixing screw or bolt is applied.
- P-clamp diameters are inflexible, so you have to carry lots of sizes.
- Damage to wires can be caused by poorly fitting or misaligned clamps.
- Traditional p-clamps can only be reopened by dismantling the entire assembly.



<i>Item Code</i>	<i>Size</i>	<i>Std Pack</i>	<i>Price</i>
<i>PC M11 B20</i>	<i>mm</i>	<i>Nos</i>	<i>Per Nos</i>
PCLIP 6	6	100	45.00
PCLIP 10	10	100	48.00
PCLIP 13	13	100	51.00
PCLIP 16	16	100	54.00
PCLIP 20	20	100	56.00
PCLIP 25	25	100	59.00
PCLIP 35	35	50	69.00
PCLIP 40	40	50	77.00
PCLIP 50	50	50	88.00
PCLIP 60	60	50	99.00

(MS - Green or White Plated / With Neoprene Rubber)